

L Number	Hits	Search Text	DB	Time stamp
1	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
2	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
3	290431	alternating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
4	157316	projections and recesses	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
5	514896	hooks snap-fit hooked shank	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
6	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
7	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
8	865	alternating with (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
9	3112	108/51.11-57.34.ccls. (108/901 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:54
10	2	((alternating with (projections and recesses)) and (108/51.11-57.34.ccls. (108/901 108/902))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
11	440760	alternating (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
12	6987	alternating and (projections and recesses)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:55
13	9	((108/51.11-57.34.ccls. (108/901 108/902) and (alternating and (projections and recesses))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:56
14	89	alternating and (108/51.11-57.34.ccls. (108/901 108/902)) not ((108/51.11-57.34.ccls. (108/901 108/902)) and (alternating and (projections and recesses)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
15	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57

16	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
17	77	(alternating and (108/51.11-57.34.ccls. (108/901 108/902)) not ((108/51.11-57.34.ccls. (108/901 108/902)) and (alternating and (projections and recesses)))) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
18	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
19	53	((alternating and (108/51.11-57.34.ccls. (108/901 108/902)) not ((108/51.11-57.34.ccls. (108/901 108/902)) and (alternating and (projections and recesses)))) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
-	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
-	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:51
-	181	108/901 and 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:10
-	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:52
-	1462359	tapered taper beveled shoulder hooked hook shank wedge conical fusticonical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12

-	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:53
-	2624076	release pries free depress	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	4996	108/51.11-57.34.ccls. Or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	3068	108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
-	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
-	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:58
-	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:57
-	32	3824933.URPN.	USPAT	2003/10/06 13:16
-	6	("2699912" "3294040" "3307504" "3404642" "3592145" "3664271").PN.	USPAT	2003/10/06 13:18
-	32	3824933.URPN.	USPAT	2003/10/06 13:19
-	0	6622641.URPN.	USPAT	2003/10/06 13:19
-	38	("2544657" "2699912" "3126843" "3307504" "3467032" "3602157" "3651769" "3654874" "3678868" "3685461" "3710733" "D231096" "D232019" "3824933" "3835792" "3878796" "3964400" "4051787" "D246296" "4103857" "4183491" "4287836" "4316419" "4403555" "4597338" "5197395" "D346681" "D347511" "D371882" "5676064" "5791261" "5809905" "5845588" "5860369" "5887529" "6006677" "6029583" "6109190").PN.	USPAT	2003/10/06 13:19
-	125	220/600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
-	953	206/386.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
-	1205	206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
-	1993	206/386.ccls. or 206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23

-	1963	(206/386.ccls. or 206/595-600.ccls.) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
-	37	((206/386.ccls. or 206/595-600.ccls.) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))) and plastic and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:24

L Number	Hits	Search Text	DB	Time stamp
1	2854	108/51.11-57.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 12:49
2	695	108/901 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 12:50
3	181	108/901 and 108/902	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:10
4	1899273	flex flexing snap resilient resiliently spring springing	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:11
5	1462359	tapered taper beveled shoulder hooked hook shank wedge conical fusticonical	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12
6	1229599	latch latching lock locking interlock	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:12
7	2624076	release pries free depress	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
8	4996	108/51.11-57.34.ccls. Or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
9	3068	108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:13
10	165	(108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:15
11	1440156	plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:15
12	125	((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:21
13	32	3824933.URPN.	USPAT	2003/10/06 13:16
14	6	("2699912" "3294040" "3307504" "3404642" "3592145" "3664271").PN.	USPAT	2003/10/06 13:18
15	32	3824933.URPN.	USPAT	2003/10/06 13:19
16	0	6622641.URPN.	USPAT	2003/10/06 13:19

17	38	("2544657" "2699912" "3126843" "3307504" "3467032" "3602157" "3651769" "3654874" "3678868" "3685461" "3710733" "D231096" "D232019" "3824933" "3835792" "3878796" "3964400" "4051787" "D246296" "4103857" "4183491" "4287836" "4316419" "4403555" "4597338" "5197395" "D346681" "D347511" "D371882" "5676064" "5791261" "5809905" "5845588" "5860369" "5887529" "6006677" "6029583" "6109190") .PN.	USPAT	2003/10/06 13:19
18	125	220/600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
19	953	206/386.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:22
20	1205	206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
21	1993	206/386.ccls. or 206/595-600.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
22	1963	(206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:23
23	37	((206/386.ccls. or 206/595-600.ccls.) not (((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)) and plastic) not ((108/51.11-57.34.ccls. or (108/901 108/902) not (108/901 and 108/902)) and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock))) and plastic and (flex flexing snap resilient resiliently spring springing) and (tapered taper beveled shoulder hooked hook shank wedge conical fusticonical) and (latch latching lock locking interlock)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/10/06 13:24